



# PRODUCT DATA SHEET

REGION  
EAST COAST

SERIES  
STEPLOCK®

STYLE  
SHELLOCK®

The original seashell paver®.

Seashells mixed into the paver and then honed to exposed the beauty of each individual seashell in a sleek smooth surface, creating a very comfortable paver to walk on barefoot. The non-slippery polished surface is smooth and impeccably fashionable.

The Shelllock® collection is part of our Steplock® Line, exclusively designed for pedestrian applications.

## COLOR SELECTION - PAVERS AND COPING



IVORY

CAFÉ

BUFF

SILVER SAM

TAN

## APPLICATIONS

Designed for use in pedestrian applications including patios, swimming pool decks, walkways, stepping stones as well as architectural and decorative uses such as raised walls, fountains, benches and planters.

## COPING & SPECIALTY PIECES

NOMINAL SIZES (in). THICKNESS: 1-5/8

One Sided	4x8, 4x12, 4x16, 24x12, 12x12, 16x16, 24x24
Two Sided	4x12, 4x16, 24x12, 12x12, 16x16, 24x24
Three Sided	4x16, 12x12, 16x16, 24x24
Four Sided	12x12, 16x16, 24x24
Adjacent	12x12, 16x16, 24x24
Remodeling	4x12 with 3" drop-face, 4" drop-face, 5" drop-face.
Precut one sided	4x8, 4x12
Precut two sided	4x12, 4x16

## FINISHES



POLISHED

## PAVER AND PAVING SLABS

SIZES & PACKAGING

NOMINAL SIZE (in)	ACTUAL DIMENSIONS (mm)	SQ FT PER PALLET	WEIGHT PER PALLET
8 x 8 x 1-5/8	200 x 200 x 40	160 SQ FT	2,870 LBS
8 x 12 x 1-5/8	200 x 300 x 40	160 SQ FT	2,870 LBS
12 x 12 x 1-5/8	300 x 300 x 40	180 SQ FT	3,255 LBS
16 x 16 x 1-5/8	400 x 400 x 40	160 SQ FT	2,870 LBS
24 x 24 x 1-5/8	600 x 600 x 40	120 SQ FT	2,160 LBS

(\*) Silver Sam is not available in 24" in paving slabs or coping.

## STRAIGHT RELAXED-EDGE COPING

NOMINAL SIZES (in). THICKNESS: 2-3/8" (\*) (\*\*)

One Sided	4x12, 12x12
-----------	-------------

(\*) Available only in the colors Ivory and Tan.

(\*\*) The deck base needs to be adjusted to match the 2-3/8" coping.

## CUSTOM COLORS

Custom colors available typically for minimum quantities of 10,000 square feet.

### NOTES

- The Shelllock® collection has natural shells embedded at different distances from the surface of the paver or coping, and then polished. Therefore, a small percentage of the shells are expected to come loose from the surface and edges of the tile. This occurrence will diminish over a short span of time and in no way will effect the strength of the products.
- Pavers should be installed from several pallets at a time to maintain the best color consistency.

- Due to processes required to manufacture, package, deliver, unpack, install and compact the products, small chipping can be expected.
- The 4x8 border pavers are machine cut and not dimensionally consistent. Artistic Paver Mfg. recommends these pavers should be used strictly as border material, therefore, not recommended for field material.
- The product images in our catalogs, brochures, or shown on monitor screens give a general indication of color for a preliminary selection. We recommend you also view current product samples and look at actual finished projects before making your final decision.

### EAST COAST PLANT

#### MAIN OFFICE

120 NE 179<sup>th</sup> St.  
North Miami Beach, FL 33162  
(305) 653-7283



Artistic Paver Mfg.®

Specializing in unusual sand-set pavers for a distinguished look.


sales@artisticpavers.com

(877) 707-2831

www.artisticpavers.com

### WEST COAST PLANT

1508 N V.I.P. Blvd.  
Casa Grande, AZ 85222  
(520) 426-3479



PRODUCT	DESCRIPTION
<p><b>SHELLOCK®</b> <b>Atlantic Series<sup>1</sup></b></p>	<p>Artistic Paver's Shellock® Paver is a beautiful and elegant alternative to the same old brick paver look. Shellock® consists of actual seashells gathered from mother earth, mixed in each paver and then honed to expose the beauty of the seashells.</p> <p>Shellock® pavers are part of our Steplock® Line, exclusively designed for pedestrian applications. Shellock pavers are very smooth to walk on. Applications include patios, swimming pool decks, lanais, walkways and more. Pavers are calibrated to achieve a uniform dimensions with very little variation for easy installation.</p> <p>Each piece is made to precision with the highest quality of technological machinery available. You can expect a slight variation in shell and shade color which simply adds to the natural appearance of each piece. Shellock® transforms any pool deck into a natural looking paradise.</p> <p>Shellock® Atlantic Series pavers and coping are available in 5 different colors: Ivory, Buff, Tan, Café and Silver Sam. Shellock® Atlantic Series is available in sizes: 4"x8", 8"x8", 8"x12", 12"x12", 16"x16" and 24"x24" in 1-5/8" thickness and the 24"x24" pedestal paver in 2" thickness.</p> <p>Coping and specialty pieces are available in all colors in many different sizes and options of bullnose in one, two, three, four sides or adjacent. Plus the renovation piece and pre-cut spa coping.</p>

NOTES

1. Shellock® Atlantic Series ships from the East Coast and West Coast factories.
2. Shellock® Atlantic Series is only available in Polished (P) finish from the East Coast factory.
3. You can expect a slight variation in shade colors which simply adds to the natural appearance of each piece.
4. Before making a decision on any product or color, we recommend verifying your selection at your local Artistic Paver retailer.
5. The 4x8 border pavers are machine cut and not dimensionally consistent. Artistic Paver Mfg. recommends these pavers should be used strictly as border material, therefore, not recommended for field material.
6. For more information on this product visit <http://www.artisticpavers.com/steplock-shellock-as.php>



Artistic Paver Mfg.

**ARTISTIC PAVER MFG.**  
Toll-Free (877) 707-2831 | Fax: (305) 653-7511



**SHELLOCK® ATLANTIC SERIES PRODUCT LIST (EAST COAST)**

PAVERS				COPING			
NOMINAL SIZE in WxLxH	ACTUAL DIMENSIONS (mm) WxLxH	PRODUCT DESCRIPTION	ADVANTAGES	NOMINAL SIZE in WxLxH	ACTUAL DIMENSIONS (mm) WxLxH	ITEM DESCRIPTION	PRODUCT DESCRIPTION
4x8x1-5/8	93x200x40	BORDER PAVER	<p>Shellock® pavers are part of our Steplock® Line, exclusively designed for pedestrian applications including patios, swimming pool decks, lanais, walkways and more.</p> <p>Pavers are calibrated to achieve a uniform thickness.</p> <p>The beveled cushioned edge on our pavers help to prevent tripping hazards and aids the installer in the leveling process of the paver installation.</p> <p>Each paver is factory pressed which produces a paver that averages over 9,000 pounds per square inch (PSI). This makes our paver extremely durable and less porous than poured concrete.</p> <p>This highly dense product resists staining, helps to prevent algae and mildew from attaching itself to the surface of the product and it's impervious to damage from saltwater pools</p> <p>Our pavers require very little maintenance and sealing is optional.</p>	4x8x1-5/8	93x198x40	Single sided	<p>Single sided coping is available in all Steplock® decking styles. This ensures that materials used for architectural solutions will coordinate with the Artistic Paver decking material.</p>
8x8x1-5/8	200x200x40	PAVER		4x12x1-5/8	93x289x40	Single sided	
8x12x1-5/8	200x300x40	PAVER		4x16x1-5/8	93x390x40	Single sided	
12x12x1-5/8	300x300x40	PAVER		24x12x1-5/8	582x298x40	Single sided	
16x16x1-5/8	400x400x40	PAVER		12x12x1-5/8	284x289x40	Single sided	
24x24x1-5/8	600x600x40	PAVER		16x16x1-5/8	385x390x40	Single sided	
24x24x2	600x600x50	PEDESTAL PAVER		24x24x1-5/8	582x590x40	Single sided	
<p>***The 4x8 border pavers are machine cut and not dimensionally consistent. Artistic Paver Mfg. recommends these pavers should be used strictly as border material, therefore, not recommended for field material.</p>			4x12x1-5/8	93x298x40	Double sided	<p>Double sided coping is available in all Steplock® decking styles. This ensures that materials used for architectural solutions will coordinate with the Artistic Paver decking material.</p>	
			4x16x1-5/8	93x398x40	Double sided		
			24x12x1-5/8	582x297x40	Double sided		
			12x12x1-5/8	284x298x40	Double sided		
			16x16x1-5/8	385x398x40	Double sided		
			24x24x1-5/8	582x598x40	Double sided		
			4x16x1-5/8	98x398x40	Triple sided		<p>Triple sided coping is available in all Steplock® decking styles. It's perfect for spillways. One single piece, easy to install and perfect finish to the spa spillway. This ensures that materials used for architectural solutions will coordinate with the Artistic Paver decking material.</p>
			12x12x1-5/8	289x298x40	Triple sided		
			16x16x1-5/8	390x398x40	Triple sided		
			24x24x1-5/8	590x598x40	Triple sided		
			12x12x1-5/8	298x298x40	Four sided	<p>Four sided coping is available in all Steplock® decking styles. It's perfect for columns, planters and more. This ensures that materials used for architectural solutions will coordinate with the Artistic Paver decking material.</p>	
			16x16x1-5/8	398x398x40	Four sided		
			24x24x1-5/8	598x598x40	Four sided		
			12x12x1-5/8	289x289x40	Adjacent	<p>Adjacent sided coping is available in all Steplock® decking styles. It's perfect for columns, planters and more. This ensures that materials used for architectural solutions will coordinate with the Artistic Paver decking material.</p>	
			16x16x1-5/8	390x390x40	Adjacent		
			24x24x1-5/8	590x590x40	Adjacent		
			4x12x1-5/8 Drop-face 3"	93x289x40	Renovation coping	<p>Renovation coping installs directly on top of the existing overpour or coping material, allowing you to top an existing cracked deck without removing it, saving you time and money. Create a completely new look without the mess and headaches of removing concrete.</p>	
			4x12x1-5/8 Drop-face 4"	93x289x40	Renovation coping		
			4x12x1-5/8 Drop-face 5"	93x289x40	Renovation coping		
			4x8x1-5/8	80x198x40	Pre-cut coping	<p>Pre-cut coping. Just unpack and install. No need to waste time cutting pieces to fit around the spa. The total number of pieces to complete a full circle on a 7ft diameter spa is 87 for any of the sizes of coping.</p>	
			4x12x1-5/8	80x289x40	Pre-cut coping		
			4x12x1-5/8	80x298x40	Pre-cut coping		
			4x16x1-5/8	80x398x40	Pre-cut coping		
			4X12x2-3/8"	92x288x60	Single sided Straight-Edge	<p>Single sided straight relaxed-edge coping. A modern look for any pool shape. Makes any pool elegant and gives the deck a contemporary touch.</p>	
			12X12x2-3/8"	281x288x60			

FINISH	
POLISHED	The polished surface is smooth and very comfortable to walk on barefoot, yet, it has a High Slip Resistance (lower probability of slipping)*.